

**MAINTENANCE MANAGEMENT FOR
WATER TREATMENT & PUMPING FACILITIES: (No. 64)**

Define maintenance management and mission, The benefits of maintenance management, Develop strategic plan for maintenance, Understand different equipment failure patterns, Reactive, preventive and predictive maintenance, Define operator performance maintenance & Define total production maintenance reliability centered maintenance method.

Please complete one form per attendee (Photo I.D. required at door)

Approved for 6.0 PA DEP Water/Wastewater Contact Hours

ATTENDEE: ___ \$95 AWWA/WWOAP Members ___ \$125 Non-Members

***Lunch is NOT provided**

NAME: _____

COMPANY: _____

PA DEP Operator Client ID # _____

TITLE: _____

ADDRESS: _____

CITY/STATE/ZIP: _____

TELEPHONE: _____ FAX: _____

EMAIL: _____

Date: **Wednesday, October 9, 2019; Registration: 8:30 a.m. Course: 9:00 a.m. to 4:00 p.m.**
Location: **West View Water Authority**
Address: **200 Neville Road, Pittsburgh, PA. 15225**
Phone: **Please Contact the Section Office with any questions at 717-774-8870**

Method of Payment: (Confirms registration)
Attendee Fee: \$95.00 (AWWA/ WWOAP Members) -- \$125.00 (Non-Members)

Make checks payable to PA Section AWWA.

Mail Registration and Payment to **PA Section AWWA, P. O. Box D, New Cumberland, PA 17070**

Fax Registration with Credit Card information to: (717) 774-0288

Total Payment: \$ _____

Personal Check

Company Check

Government P.O.

Master Card

Visa

American Express

Credit Card No. _____ Exp. Date _____

Signature _____ CVS Code: _____

Special Needs _____

All cancellations must be received in writing, on company letterhead, and sent to the PA Section - AWWA. All cancellations received 14 days prior to the event will receive a REFUND less a 25% administrative fee; fewer than 14 days prior to the event, no refunds will be granted. Substitute registrants are welcome - fax substitution requests to (717) 774-0288.

Phone: (717) 774-8870 Fax: (717) 774-0288

Email: nancydinger@paawwa.org

Website: www.paawwa.org
